



# ESXi 5.x Image Customization Information

Dell Engineering  
March 2014

© 2013 Dell Inc. All rights reserved. Reproduction of this material in any manner whatsoever without the express written permission of Dell Inc. is strictly forbidden. For more information, contact Dell.

PRODUCT WARRANTIES APPLICABLE TO THE DELL PRODUCTS DESCRIBED IN THIS DOCUMENT MAY BE FOUND AT: <http://www.dell.com/learn/us/en/19/terms-of-sale-commercial-and-public-sector> Performance of network reference architectures discussed in this document may vary with differing deployment conditions, network loads, and the like. Third party products may be included in reference architectures for the convenience of the reader. Inclusion of such third party products does not necessarily constitute Dell's recommendation of those products. Please consult your Dell representative for additional information.

Trademarks used in this text:

Dell™, the Dell logo, Dell Boomi™, Dell Precision™, OptiPlex™, Latitude™, PowerEdge™, PowerVault™, PowerConnect™, OpenManage™, EqualLogic™, Compellent™, KACE™, FlexAddress™, Force10™ and Vostro™ are trademarks of Dell Inc. Other Dell trademarks may be used in this document. Cisco Nexus®, Cisco MDS®, Cisco NX-OS®, and other Cisco Catalyst® are registered trademarks of Cisco System Inc. EMC VNX®, and EMC Unisphere® are registered trademarks of EMC Corporation. Intel®, Pentium®, Xeon®, Core® and Celeron® are registered trademarks of Intel Corporation in the U.S. and other countries. AMD® is a registered trademark and AMD Opteron™, AMD Phenom™ and AMD Sempron™ are trademarks of Advanced Micro Devices, Inc. Microsoft®, Windows®, Windows Server®, Internet Explorer®, MS-DOS®, Windows Vista® and Active Directory® are either trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Red Hat® and Red Hat® Enterprise Linux® are registered trademarks of Red Hat, Inc. in the United States and/or other countries. Novell® and SUSE® are registered trademarks of Novell Inc. in the United States and other countries. Oracle® is a registered trademark of Oracle Corporation and/or its affiliates. Citrix®, Xen®, XenServer® and XenMotion® are either registered trademarks or trademarks of Citrix Systems, Inc. in the United States and/or other countries. VMware®, Virtual SMP®, vMotion®, vCenter® and vSphere® are registered trademarks or trademarks of VMware, Inc. in the United States or other countries. IBM® is a registered trademark of International Business Machines Corporation. Broadcom® and NetXtreme® are registered trademarks of Broadcom Corporation. Qlogic is a registered trademark of QLogic Corporation. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and/or names or their products and are the property of their respective owners. Dell disclaims proprietary interest in the marks and names of others.



# Table of contents

1	Introduction.....	4
1.1	Downloading the Dell-customized ESXi Image .....	4
1.2	Write To Us .....	4
1.3	Related Links.....	4
2	ESXi 5.5 Image Customization Details.....	5
	Older Revisions for ESXi 5.5 .....	5
3	ESXi 5.1 Update 1 Image Customization Details.....	10
	Older Revisions for ESXi 5.1 Update 1.....	10
4	ESXi 5.1 Image Customization Details .....	14
	Older Revisions for ESXi 5.1.....	14
5	ESXi 5.0 Update 3 Image Customization Details.....	16
6	ESXi 5.0 Update 2 Image Customization Details.....	17
	Older Revisions for ESXi 5.0 Update 2 .....	17
7	ESXi 5.0 Update 1 Image Customization Details.....	19
	Older Revisions for ESXi 5.0 Update 1 .....	19
8	ESXi 5.0 Image Customization Details.....	22
	Older Revisions for ESXi 5.0 .....	22



# 1 Introduction

Each ESXi image is a customization of the base VMware image of a particular version. Dell customization of the image includes:

- Modifying files to identify Dell and Dell support.
- Updating the ESXi image with the latest validated asynchronous drivers.
- Updating patches if it addresses a common issue for Dell systems.

It is recommended to use the latest version of the Dell-customized ESXi image for your Dell system.

**Note:** The Dell-customized ESXi Embedded ISO image does not include Dell OpenManage Server Administrator. For information on installing and using Dell OpenManage Server Administrator, see the Dell OpenManage documentation at [dell.com/openmanagemanuals](http://dell.com/openmanagemanuals).

Additional Dell VMware documents are available at [dell.com/virtualizationsolutions](http://dell.com/virtualizationsolutions).

## 1.1 Downloading the Dell-customized ESXi Image

Go to [vmware.com/support](http://vmware.com/support) and see the Images and Drivers VMware pages for downloading the base ESXi image and the updated driver VIBs that are used for the creation of the ISOs. Your VMware administrator needs to sign in for access to the pages.

To download the Dell-customized ESXi ISO images:

1. Navigate to [dell.com/support](http://dell.com/support).
2. Enter your system service tag and click **Submit**.
3. In the Product Support window, click on **Drivers & Downloads**.
4. In Drivers and Downloads, click the link **Click here for other operating system**.
5. From the operating system drop down, select the ESXi that you have installed.
6. You will see a list of categories, click on **Enterprise**.
7. Download the **VMware ESXi 5.x**.

## 1.2 Write To Us

For any documentation feedback, write to [documentation\\_feedback@dell.com](mailto:documentation_feedback@dell.com).

## 1.3 Related Links

- [Dell Tech Centre for Virtualization](#)
- [Drivers and Downloads](#)
- [Dell and VMware Product Page](#)
- [Dell VMware Documentation](#)



## 2

# ESXi 5.5 Image Customization Details

Table 1: ESXi 5.5 Revision A02 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.5 Image
<b>Version</b>	A02
<b>Build Number</b>	1331820
<b>File Name</b>	VMware-VMvisor-Installer-5.5.0 1331820.x86_64-Dell_Customized_A02.iso
<b>Release Date</b>	March 11, 2014
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• tg3 - 3.133d.v55.1</li> <li>• bnx2 - 2.2.3t.v55.7</li> <li>• bnx2x - 1.78.28.v55.2</li> <li>• cnic - 1.78.12.v55.6</li> <li>• cnic-register - 1.78.1.v55.7</li> <li>• bnx2fc - 1.78.16.v55.4</li> <li>• bnx2i - 2.78.11.v55.4</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb - 4.2.16.8</li> <li>• ixgbe - 3.18.7iov</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qlnativefc - 1.1.7.0-1OEM.550.0.0.1198610</li> <li>• qla4xxx - 634.55.20.0-1vmw</li> <li>• qlcnic - 5.5.164</li> <li>• qlge - v3.00.00.57</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc - 10.0.727.44</li> <li>• elxnet - 10.0.727.28</li> <li>• be2iscsi - 10.0.727.4401</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• mpt2sas - 16.00.01.00.1vmw</li> <li>• megaraid-perc9 - 6.900.50.00.1vmw</li> </ul>

### Older Revisions for ESXi 5.5

[Table 2: ESXi 5.5 Revision A01 Image Customization Details](#)

[Table 3: ESXi 5.5 Revision A00 Image Customization Details](#)



Table 2: ESXi 5.5 Revision A01 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.5 Image
<b>Version</b>	A01
<b>Build Number</b>	1331820
<b>File Name</b>	VMware-VMvisor-Installer-5.5.0 1331820.x86_64-Dell_Customized_A01.iso
<b>Release Date</b>	October 4, 2013
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• tg3 - 3.133d.v55.1</li> <li>• bnx2 - 2.2.3t.v55.7</li> <li>• bnx2x - 1.78.28.v55.2</li> <li>• cnic - 1.78.12.v55.6</li> <li>• cnic-register - 1.78.1.v55.7</li> <li>• bnx2fc - 1.78.16.v55.4</li> <li>• bnx2i - 2.78.11.v55.4</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb - 4.2.16.8</li> <li>• ixgbe - 3.18.7iov</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qlnativefc - 1.1.7.0-1OEM.550.0.0.1198610</li> <li>• qla4xxx - 634.55.20.0-1vmw</li> <li>• qlcnic - 5.5.164</li> <li>• qlge - v3.00.00.57</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc - 10.0.575.8-1OEM.550.0.0.1198611</li> <li>• elxnet - 10.0.575.7-1OEM-550.0.0.1198611</li> <li>• be2iscsi - 4.6.261.0</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• mpt2sas - 16.00.01.00.1vmw</li> </ul>



Table 3: ESXi 5.5 Revision A00 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.5 Image
<b>Version</b>	A00
<b>Build Number</b>	1331820
<b>File Name</b>	VMware-VMvisor-Installer-5.5.0-1331820.x86_64-Dell_Customized_A00.iso
<b>Release Date</b>	October 1, 2013
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• tg3 - 3.133d.v55.1</li> <li>• bnx2 - 2.2.3t.v55.7</li> <li>• bnx2x - 1.78.28.v55.2</li> <li>• cnic - 1.78.12.v55.6</li> <li>• cnic-register - 1.78.1.v55.7</li> <li>• bnx2fc - 1.78.16.v55.4</li> <li>• bnx2i - 2.78.11.v55.4</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb - 4.2.16.8</li> <li>• ixgbe - 3.18.7iov</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qlnativefc - 1.1.7.0-1OEM.550.0.0.1198610</li> <li>• qla4xxx - 634.55.20.0-1vmw</li> <li>• qlcnic - 5.5.164</li> <li>• qlge - v3.00.00.57</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc - 10.0.575.8-1OEM.550.0.0.1198611</li> <li>• elxnet - 10.0.575.7-1OEM- 550.0.0.1198611</li> <li>• be2iscsi - 4.6.261.0</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• mpt2sas - 15.10.05.00.1vmw</li> </ul>



### 3 ESXi 5.1 Update 2 Image Customization Details

Table 4: ESXi 5.1 Update 2 Revision A01 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.1 Update 2 Image
<b>Version</b>	A01
<b>Build Number</b>	1483097
<b>File Name</b>	VMware-VMvisor-Installer-5.1.0.update02-1483097.x86_64-Dell_Customized_RecoveryCD_A01.iso
<b>Release Date</b>	March 11, 2014
<b>Dell Modified Files</b>	<ul style="list-style-type: none"><li>• etc/vmware/oem.xml</li><li>• etc/vmware/support</li></ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"><li>• tg3 – 3.135b.v50.1</li><li>• cnic-register – 1.78.50.v50.1</li><li>• bnx2 – 2.2.4d.v50.1</li><li>• bnx2x – 1.78.58.v50.1</li><li>• cnic – 1.78.53.v50.4</li><li>• bnx2fc – 1.78.51.v50.1</li><li>• bnx2i – 2.78.52.v50.1</li></ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"><li>• igb – 5.0.5.1</li><li>• ixgbe – 3.14.3iov</li></ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"><li>• qla2xxx – 934.5.29.0-1vmw</li><li>• qla4xxx – 634.5.26.0</li><li>• qlcnic – 5.1.171</li><li>• qlge – v2.00.00.57</li></ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"><li>• lpfc820 – 0:10.0.727.24</li><li>• be2iscsi – 10.0.727.4401</li><li>• be2net – 10.0.727.28</li></ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"><li>• megaraid-sas – 06.802.71.00</li><li>• mpt2sas – 17.00.00.00.1vmw</li><li>• megaraid_perc9 – 6.900.50.00.1vmw</li></ul>

#### Older Revisions for ESXi 5.1 Update 2

[Table 5: ESXi 5.1 Update 2 Revision A00 Image Customization Details](#)





Table 5: ESXi 5.1 Update 2 Revision A00 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.1 Update 2 Image
<b>Version</b>	A00
<b>Build Number</b>	1483097
<b>File Name</b>	VMware-VMvisor-Installer-5.1.0.update02-1483097.x86_64-Dell_Customized_RecoveryCD_A00.iso
<b>Release Date</b>	Feb 24, 2014
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• tg3 - 3.135b.v50.1</li> <li>• cnic-register – 1.78.50.v50.1</li> <li>• bnx2 – 2.2.4d.v50.1</li> <li>• bnx2x – 1.78.58.v50.1</li> <li>• cnic – 1.78.53.v50.4</li> <li>• bnx2fc – 1.78.51.v50.1</li> <li>• bnx2i – 2.78.52.v50.1</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb – 5.0.5.1</li> <li>• ixgbe – 3.14.3iov</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qla2xxx – 934.5.29.0-1vmw</li> <li>• qla4xxx – 634.5.26.0</li> <li>• qlcnic – 5.1.171</li> <li>• qlge – v2.00.00.57</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820 – 0:8.2.4.151.65</li> <li>• be2iscsi – 4.6.142.2</li> <li>• be2net – 4.1.255.11</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• megaraid-sas – 06.801.52.00</li> <li>• mpt2sas – 17.00.00.00.1vmw</li> <li>• megaraid_perc9 – 6.900.50.00.1vmw</li> </ul>



## 4 ESXi 5.1 Update 1 Image Customization Details

Table 6: ESXi 5.1 Update 1 Revision A03 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.1 Update 1
<b>Version</b>	A03
<b>Build Number</b>	1065491
<b>File Name</b>	VMware-VMvisor-Installer-5.1.0.update01-1065491.x86_64-Dell_Customized_RecoveryCD_A03.iso
<b>Release Date</b>	December 03, 2013
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• tg3 – 3.131d.v50.1</li> <li>• cnic-register – 1.78.1.v50.1</li> <li>• bnx2 – 2.2.3t.v50.2</li> <li>• bnx2x – 1.78.27.v50.1</li> <li>• cnic – 1.78.12.v50.4</li> <li>• bnx2fc – 1.78.16.v50.1</li> <li>• bnx2i – 2.76.56.v50.2</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb – 4.2.16.3</li> <li>• ixgbe – 3.14.3</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qla2xxx – 934.5.22.0-1vmw</li> <li>• qla4xxx – 634.5.18.0-1vmw</li> <li>• qlcnic – 5.1.157</li> <li>• qlge – v2.00.00.54-04202012</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820 – 0:8.2.4.151.65</li> <li>• be2iscsi – 4.6.142.2</li> </ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"> <li>• bna – 3.2.3.0</li> <li>• bfa – 3.2.3.0</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• mpt2sas – 16.00.00.00.1vmw</li> <li>• megaraid-sas – 06.801.52.00</li> </ul>
<b>Micron Drivers</b>	<ul style="list-style-type: none"> <li>• mtip32xx-scsi-2.8.0</li> </ul>

### Older Revisions for ESXi 5.1 Update 1

[Table 7: ESXi 5.1 Update 1 Revision A02 Image Customization Details](#)

[Table 8: ESXi 5.1 Update 1 Revision A01 Image Customization Details](#)

[Table 9: ESXi 5.1 Update 1 Revision A00 Image Customization Details](#)



Table 7: ESXi 5.1 Update 1 Revision A02 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.1 Update 1 Recovery Image
<b>Version</b>	A02
<b>Build Number</b>	1065491
<b>File Name</b>	VMware-VMvisor-Installer-5.1.0.update01-1065491.x86_64Dell_Customized_RecoveryCD_A02.iso
<b>Release Date</b>	September 24, 2013
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• tg3 – 3.131d.v50.1</li> <li>• cnic-register –1.76.53.v50.1</li> <li>• bnx2 – 2.2.3m.v50.4</li> <li>• bnx2x – 1.76.54.v50.1</li> <li>• cnic – 1.76.59.v50.1</li> <li>• bnx2fc – 1.76.57.v50.1</li> <li>• bnx2i – 2.76.56.v50.2</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb – 4.2.16.3</li> <li>• ixgbe – 3.14.3</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qla2xxx – 934.5.22.0-1vmw</li> <li>• qla4xxx – 634.5.18.0-1vmw</li> <li>• qlcnic – 5.1.157</li> <li>• qlge – v2.00.00.54-04202012</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820 – 0:8.2.4.151.65</li> <li>• be2iscsi – 4.6.142.2</li> </ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"> <li>• bna – 3.2.1.1</li> <li>• bfa – 3.2.1.1</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• mpt2sas – 16.00.00.00.1vmw</li> <li>• megaraid-sas – 06.801.52.00</li> </ul>
<b>Micron Drivers</b>	<ul style="list-style-type: none"> <li>• mtip32xx-scsi-2.4.10</li> </ul>



Table 8: ESXi 5.1 Update 1 Revision A01 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.1 Update 1 Recovery Image
<b>Version</b>	A01
<b>Build Number</b>	1065491
<b>File Name</b>	VMware-VMvisor-Installer-5.1.0.update01-1065491.x86_64Dell_Customized_RecoveryCD_A01.iso
<b>Release Date</b>	June 26, 2013
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• tg3 - 3.129d.v50.1</li> <li>• cnic-register -1.76.53.v50.1</li> <li>• bnx2 - 2.2.3m.v50.4</li> <li>• bnx2x - 1.76.54.v50.1</li> <li>• cnic - 1.76.59.v50.1</li> <li>• bnx2fc - 1.76.57.v50.1</li> <li>• bnx2i - 2.76.56.v50.2</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb - 4.0.17</li> <li>• ixgbe - 3.14.3</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qla2xxx - 934.5.20.0-1vmw</li> <li>• qla4xxx - 634.5.18.0-1vmw</li> <li>• qlcnic - 5.1.157</li> <li>• qlge - v2.00.00.54-04202012</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820 - 0:8.2.4.146.62</li> <li>• be2iscsi - 4.4.264.0</li> </ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"> <li>• bna - 3.2.0.0</li> <li>• bfa - 3.2.1.0</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• mpt2sas - 16.00.00.00.1vmw</li> <li>• megaraid-sas - 06.801.52.00</li> </ul>
<b>Micron Drivers</b>	<ul style="list-style-type: none"> <li>• mtip32xx-scsi - 2.4.10</li> </ul>



Table 9: ESXi 5.1 Update 1 Revision A00 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.1 Update 1 Recovery Image
<b>Version</b>	A00
<b>Build Number</b>	1065491
<b>File Name</b>	VMware-VMvisor-Installer-5.1.0.update01-1065491.x86_64-Dell_Customized_RecoveryCD_A00.iso
<b>Release Date</b>	April 26, 2013
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• tg3 – 3.129d.v50.1</li> <li>• cnic-register – 1.76.53.v50.1</li> <li>• bnx2 – 2.2.3m.v50.4</li> <li>• bnx2x – 1.76.54.v50.1</li> <li>• cnic – 1.76.59.v50.1</li> <li>• bnx2fc – 1.76.57.v50.1</li> <li>• bnx2i – 2.76.56.v50.2</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb – 4.0.17</li> <li>• ixgbe – 3.14.3</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qla2xxx – 934.5.20.0-1vmw</li> <li>• qla4xxx – 634.5.18.0-1vmw</li> <li>• qlcnic – 5.1.157</li> <li>• qlge – 2.0.0.54</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820 – 0:8.2.4.146.62</li> <li>• be2iscsi – 4.4.264.0</li> </ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"> <li>• bna – 3.2.0.0</li> <li>• bfa – 3.2.0.0</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• mpt2sas – 16.00.00.00.1vmw</li> </ul>
<b>Micron Drivers</b>	<ul style="list-style-type: none"> <li>• mtip32xx-scsi – 2.4.10</li> </ul>



## 5 ESXi 5.1 Image Customization Details

Table 10: ESXi 5.1 Revision A01 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.1 Recovery Image
<b>Version</b>	A01
<b>Build Number</b>	799733
<b>File Name</b>	VMware-VMvisor-Installer-5.1.0-799733.x86_64-Dell_Customized_RecoveryCD_A01.iso
<b>Release Date</b>	December 18, 2012
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• tg3 – 3.124c.v50.1</li> <li>• bnx2 – 2.2.3e.v50.1</li> <li>• bnx2x – 1.74.17.v50.1</li> <li>• cnic – 1.74.04.v50.1</li> <li>• cnic-register – 1.72.1.v50.2</li> <li>• bnx2fc – 1.74.02.v50.2</li> <li>• bnx2i – 2.74.05.v50.1</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb – 3.4.7.3</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qla2xxx – 911.k1.1-26vmw</li> <li>• qla4xxx – 624.01.43-1vmw</li> <li>• qlcnic – 5.0.750</li> <li>• qlge – v2.0.0.54-0420202012</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820 – 0:8.2.4.141.55</li> <li>• be2iscsi – 4.2.324.12</li> </ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"> <li>• bna – 3.1.0.1</li> <li>• bfa – 3.1.0.1</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• mpt2sas – 14.00.00.00.1vmw</li> </ul>

### Older Revisions for ESXi 5.1

[Table 11: ESXi 5.1 Revision A00 Image Customization Details](#)



Table 11: ESXi 5.1 Revision A00 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.1 Recovery Image
<b>Version</b>	A00
<b>Build Number</b>	799733
<b>File Name</b>	VMware-VMvisor-Installer-5.1.0-799733.x86_64-Dell_Customized_RecoveryCD_A00.iso
<b>Release Date</b>	October 9, 2012
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• tg3 – 3.123b.v50.1</li> <li>• bnx2 – 2.2.1l.v50.1</li> <li>• bnx2x – 1.72.54.v50.2</li> <li>• cnic – 1.72.50.v50.1</li> <li>• cnic-register – 1.72.1.v50.1</li> <li>• bnx2fc – 1.72.51.v50.1</li> <li>• bnx2i – 2.72.10.v50.2</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb – 3.4.7.3</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qla2xxx – 911.k1.1-26vmw</li> <li>• qla4xxx – 624.01.43</li> <li>• qlcnic – 5.0.746</li> <li>• qlge – v2.0.0.54-0420202012</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820 – 0:8.2.3.1-127vmw</li> <li>• be2iscsi – 4.1.334.3</li> </ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"> <li>• bna – 3.1.0.0</li> <li>• bfa – 3.1.0.0</li> </ul>
<b>Dell Storage Controllers Drivers</b>	<ul style="list-style-type: none"> <li>• mpt2sas – 14.00.00.00.1vmw</li> </ul>



## 6 ESXi 5.0 Update 3 Image Customization Details

Table 12: ESXi 5.0 Update 3 Revision A00 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.0 Update 3
<b>Version</b>	A00
<b>Build Number</b>	1311175
<b>File Name</b>	VMware-VMvisor-Installer-5.0.0.update03-1311175.x86_64-Dell_Customized_RecoveryCD_A00.iso
<b>Release Date</b>	October 30, 2013
<b>Dell Modified Files</b>	<ul style="list-style-type: none"><li>• etc/vmware/oem.xml</li><li>• etc/vmware/support</li></ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"><li>• tg3 - 3.133d.v50.1</li><li>• cnic-register - 1.78.1.v50.1</li><li>• bnx2 - 2.2.3t.v50.2</li><li>• bnx2x - 1.78.27.v50.1</li><li>• cnic - 1.78.12.v50.4</li><li>• bnx2fc - 1.78.16.v50.1</li><li>• bnx2i - 2.78.11.v50.1</li></ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"><li>• igb - 4.2.16.3</li><li>• ixgbe - 3.18.7iov</li></ul>
<b>Qlogic Driver Versions</b>	<ul style="list-style-type: none"><li>• qla2xxx - 934.5.29.0-1vmw</li><li>• qla4xxx - 634.5.18.0-1vmw</li><li>• qlcnic - 5.1.157</li><li>• qlge - v2.00.00.57</li></ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"><li>• lpfc820 - 0:8.2.4.151.65</li><li>• be2iscsi - 4.6.142.2</li><li>• be2net - 4.6.142.10</li></ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"><li>• bna - 3.2.3.0</li><li>• bfa - 3.2.3.0</li></ul>
<b>Dell Storage Controllers Drivers</b>	<ul style="list-style-type: none"><li>• mpt2sas - 16.00.00.00.1vmw</li></ul>





## 7 ESXi 5.0 Update 2 Image Customization Details

Table 13: ESXi 5.0 Update 2 Revision A01 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.0 Update 2 Recovery Image
<b>Version</b>	A01
<b>Build Number</b>	914586
<b>File Name</b>	VMware-VMvisor-Installer-5.0.0.update2-914586.x86_64-Dell_Customized_RecoveryCD_A01.iso
<b>Release Date</b>	June 26, 2013
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• tg3 - 3.129d.v50.1</li> <li>• cnic-register -1.76.53.v50.1</li> <li>• bnx2 - 2.2.3m.v50.4</li> <li>• bnx2x - 1.76.54.v50.1</li> <li>• cnic - 1.76.59.v50.1</li> <li>• bnx2fc - 1.76.57.v50.1</li> <li>• bnx2i - 2.76.56.v50.2</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb - 4.0.17</li> <li>• ixgbe - 3.14.3iov</li> </ul>
<b>Qlogic Driver Versions</b>	<ul style="list-style-type: none"> <li>• qla2xxx - 934.5.20.0-1vmw</li> <li>• qla4xxx - 634.5.18.0-1vmw</li> <li>• qlcnic - 5.1.157</li> <li>• qlge - v2.00.00.54-04202012</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820 - 0:8.2.4.146.62</li> <li>• be2iscsi - 4.4.264.0</li> <li>• be2net - 4.4.231.0</li> </ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"> <li>• bna - 3.2.0.0</li> <li>• bfa - 3.2.1.0</li> </ul>
<b>Dell Storage Controllers Drivers</b>	<ul style="list-style-type: none"> <li>• mpt2sas - 16.00.00.00.1vmw</li> </ul>
<b>Micron Drivers</b>	<ul style="list-style-type: none"> <li>• mtip32xx-scsi - 2.4.10</li> </ul>

### Older Revisions for ESXi 5.0 Update 2

[Table 11: ESXi 5.0 Update 2 Revision A00 Image Customization Details](#)



Table 14: ESXi 5.0 Update 2 Revision A00 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.0 Update 2 Recovery Image
<b>Version</b>	A00
<b>Build Number</b>	914586
<b>File Name</b>	VMware-VMvisor-Installer-5.0.0.update2-914586.x86_64-Dell_Customized_RecoveryCD_A00.iso
<b>Release Date</b>	January 17, 2013
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• bnx2 – 2.2.3e.v50.1</li> <li>• bnx2x – 1.74.19.v50.1</li> <li>• bnx2i – 2.74.07.v50.1</li> <li>• bnx2fc – 1.74.02.v50.2</li> <li>• cnic – 1.74.04.v50.1</li> <li>• tg3 – 3.124c.v50.1</li> <li>• cnic-register – 1.72.1.v50.2</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb – 4.0.17</li> <li>• ixgbe – 3.11.32</li> </ul>
<b>Qlogic Driver Versions</b>	<ul style="list-style-type: none"> <li>• qlge – v2.00.00.54-04202012</li> <li>• qlcnlc – 5.0.750</li> <li>• qla2xxx – 934.5.6.0-1vmw</li> <li>• qla4xxx – 634.5.7.0-1OEM</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820 – 0:8.2.4.141.55</li> <li>• be2iscs – 4.2.324.12</li> <li>• be2net – 4.2.327.0</li> </ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"> <li>• bna – 3.2.0.0</li> <li>• bfa – 3.2.0.0</li> </ul>
<b>Dell Storage Controllers Drivers</b>	<ul style="list-style-type: none"> <li>• mpt2sas – 15.00.01.00.1vmw</li> </ul>



## 8 ESXi 5.0 Update 1 Image Customization Details

Table 15: ESXi 5.0 Update 1 Revision A02 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.0 Update 1 Recovery Image
<b>Version</b>	A02
<b>Build Number</b>	623860
<b>File Name</b>	VMware-VMvisor-Installer-5.0.0.update1-623860.x86_64-Dell_Customized_RecoveryCD_A02.iso
<b>Release Date</b>	December 18, 2012
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/vmware.lic</li> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• tg3 – 3.124c.v50.1</li> <li>• bnx2 – 2.2.3e.v50.1</li> <li>• bnx2x – 1.74.17.v50.1</li> <li>• cnic – 1.74.04.v50.1</li> <li>• cnic-register – 1.72.1.v50.2</li> <li>• bnx2fc – 1.74.02.v50.2</li> <li>• bnx2i – 2.74.07.v50.1</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb – 3.4.7.3</li> <li>• ixgbe – 3.9.13.4-NAPI</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qla2xxx – 911.k1.1-26vmw</li> <li>• qla4xxx – 624.01.43-1vmw</li> <li>• qlcnic – 5.0.750</li> <li>• qlge – v2.00.00.54-04202012</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820 – 0:8.2.4.141.55</li> <li>• be2iscsi – 4.2.324.12</li> <li>• be2net – 4.2.327.0</li> </ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"> <li>• bna – 3.1.0.1</li> <li>• bfa – 3.1.0.1</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• mpt2sas – 14.00.00.00.1vmw</li> </ul>

### Older Revisions for ESXi 5.0 Update 1

[Table 8: ESXi 5.1 Update 1 Revision A01 Image Customization Details](#)

[Table 9: ESXi 5.1 Update 1 Revision A00 Image Customization Details](#)



Table 16: ESXi 5.0 Update 1 Revision A01 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.0 Update 1 Recovery Image
<b>Version</b>	A01
<b>Build Number</b>	623860
<b>File Name</b>	VMware-VMvisor-Installer-5.0.0.update1-623860.x86_64-Dell_Customized_RecoveryCD_A01.iso
<b>Release Date</b>	October 11, 2012
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/vmware.lic</li> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• bnx2 – 2.2.1l.v50.1</li> <li>• bnx2x – 1.72.54.v50.2</li> <li>• bnx2i – 2.72.10.v50.2</li> <li>• bnx2fc – 1.72.51.v50.1</li> <li>• cnic – 1.72.50.v50.1</li> <li>• tg3 – 3.123b.v50.1</li> <li>• cnic-register – 1.72.1.v50.1</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb – 3.2.10</li> <li>• ixgbe – 3.9.13-NAPI</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qlge – v2.00.00.54-04202012</li> <li>• qlcnic – 5.0.746</li> <li>• qla2xxx – 911.k1.1-26vmw</li> <li>• qla4xxx – 624.01.43-1vmw</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820 – 0:8.2.2.126.50</li> <li>• be2iscsi – 4.1.334.3</li> <li>• be2net – 4.1.334.48</li> </ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"> <li>• bna – 3.1.0.0</li> <li>• bfa – 3.1.0.0</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• mpt2sas – 13.10.02.00.1vmw</li> </ul>



Table 17: ESXi 5.0 Update 1 Revision A00 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.0 Update 1 Recovery Image
<b>Version</b>	A00
<b>Build Number</b>	623860
<b>File Name</b>	VMware-VMvisor-Installer-5.0.0.update1-623860.x86_64-Dell_Customized_RecoveryCD_A00.iso
<b>Release Date</b>	June 26, 2012
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/vmware.lic</li> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• bnx2 – 2.2.1j.v50.2</li> <li>• bnx2x – 1.72.18.v50.4</li> <li>• bnx2i – 2.72.10.v50.2</li> <li>• bnx2fc – 1.72.11.v50.1</li> <li>• cnic – 1.72.9.v50.1</li> <li>• tg3 – 3.123b.v50.1</li> <li>• cnic – register – 1.72.1.v50.1</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb – 3.2.10</li> <li>• ixgbe – 3.9.13-NAPI</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qlge – v1.00.00.47-051711</li> <li>• qlcnic – 5.0.741</li> <li>• qla2xxx – 911.k1.1-26vmw</li> <li>• qla4xxx – 624.01.43-1vmw</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820 – 8.2.2.126.50</li> <li>• be2iscsi – 4.1.334.3</li> <li>• be2net – 4.1.334.0</li> </ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"> <li>• bna – 3.0.3.0</li> <li>• bfa – 3.0.3.0</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• mpt2sas – 13.00.00.00.1vmw</li> </ul>



## 9 ESXi 5.0 Image Customization Details

Table 18: ESXi 5.0 Revision A04 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.0 Recovery Image
<b>Version</b>	A04
<b>Build Number</b>	504890
<b>File Name</b>	VMware-VMvisor-Installer-5.0.0-504890.x86_64-Dell_Customized_RecoveryCD_A04.iso
<b>Release Date</b>	June 26, 2012
<b>Patches</b>	ESXi500-201111001.zip See kb.vmware.com/kb/2008017
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/vmware.lic</li> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• bnx2 – 2.2.1j.v50.2</li> <li>• bnx2x – 1.72.18.v50.4</li> <li>• bnx2i – 2.72.10.v50.2</li> <li>• bnx2fc – 1.72.11.v50.1</li> <li>• cnic – 1.72.9.v50.1</li> <li>• tg3 – 3.123b.v50.1</li> <li>• cnic-register 1.72.1.v50.1</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb – 3.2.10</li> <li>• ixgbe – 3.9.13-NAPI</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qlge – v1.00.00.47-051711</li> <li>• qlcnic – 5.0.741</li> <li>• qla2xxx – 911.k1.1-26vmw</li> <li>• qla4xxx – 624-01-43</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820 – 0:8.2.2.126.50</li> <li>• be2iscsi – 4.1.334.3</li> <li>• be2net – 4.1.334.0</li> </ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"> <li>• bna – 3.0.3.0</li> <li>• bfa – 3.0.3.0</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• megaraid-sas – 5.34</li> <li>• mpt2sas – 13.00.00.00.1vmw</li> </ul>

### Older Revisions for ESXi 5.0

[Table 19: ESXi 5.0 Revision A03 Image Customization Details](#)

[Table 20: ESXi 5.0 Revision A02 Image Customization Details](#)

[Table 21: ESXi 5.0 Revision A01 Image Customization Details](#)

[Table 22: ESXi 5.0 Revision A00 Image Customization Details](#)



Table 19: ESXi 5.0 Revision A03 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.0 Recovery Image
<b>Version</b>	A03
<b>Build Number</b>	504890
<b>File Name</b>	VMware-VMvisor-Installer-5.0.0-504890.x86_64-Dell_Customized_RecoveryCD_A03.iso
<b>Release Date</b>	July 03, 2012
<b>Patches</b>	ESXi500-201111001.zip See <a href="http://kb.vmware.com/kb/2008017">kb.vmware.com/kb/2008017</a>
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/vmware.lic</li> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• bnx2 – 2.2.12b.v50.3</li> <li>• bnx2x – 1.70.34.v50.1</li> <li>• bnx2i – 2.70.1k.v50.2</li> <li>• bnx2fc – 1.0.1v.v50.1</li> <li>• cnic – 1.11.18.v50.1</li> <li>• tg3 – 3.120h.v50.2</li> <li>• register-1.70.0.v50.9</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb – 3.2.10</li> <li>• ixgbe – 3.17.13.-NAPI</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qlge – v1.00.00.47-051711</li> <li>• qlcnic – 5.0.736</li> <li>• qla2xxx – 911.k1.1-19vmw</li> <li>• qla4xxx – 624-01-36vmw</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820 – 0:8.2.2.105.36</li> <li>• be2iscsi – 4.0.317.1</li> <li>• be2net – 4.0.355.1</li> </ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"> <li>• bna – 3.0.3.0</li> <li>• bfa – 3.0.3.0</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• megaraid-sas-5.34</li> </ul>



Table 20: ESXi 5.0 Revision A02 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.0 Recovery Image
<b>Version</b>	A02
<b>Build Number</b>	504890
<b>File Name</b>	VMware-VMvisor-Installer-5.0.0-504890.x86_64-Dell_Customized_A02.iso
<b>Release Date</b>	6 March, 2012
<b>Patches</b>	ESXi500-201111001.zip See <a href="http://kb.vmware.com/kb/2008017">kb.vmware.com/kb/2008017</a>
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/vmware.lic</li> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Broadcom Drivers</b>	<ul style="list-style-type: none"> <li>• tg3 – 3.120h.v50.2</li> <li>• bnx2 – 2.1.12b.v50.3.</li> <li>• bnx2x – 1.70.34.v50.1</li> <li>• cnic – 1.11.18.v50.1</li> <li>• cnic – register-1.70.0.v50.9</li> <li>• bnx2fc – 1.0.1v.v50.1</li> <li>• bnx2i – 2.70.1k.v50.2</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb – 3.2.10</li> <li>• ixgbe – 3.7.13-NAPI</li> </ul>
<b>QLogic Drivers</b>	<ul style="list-style-type: none"> <li>• qla2xxx – 911.k1.1-19vmw</li> <li>• qla4xxx – 624.01.36-1vmw</li> <li>• qlcnic – 5.0.0.736</li> <li>• qlge – v1.00.00.47-051711</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820 – 0:8.2.2.105.36</li> <li>• be2iscsi – 4.0.317.1</li> <li>• be2net – 4.0.355.1</li> </ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"> <li>• bna – 3.0.3.0</li> <li>• bfa – 3.0.3.0</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• megaraid-sas – 5.34</li> <li>• mpt2sas – 12.00.00.00.1vmw</li> </ul>





Table 21: ESXi 5.0 Revision A01 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.0 Recovery Image
<b>Version</b>	A01
<b>Build Number</b>	504890
<b>File Name</b>	VMware-VMvisor-Installer-5.0.0-504890.x86_64-Dell_Customized_A01.iso
<b>Release Date</b>	December 19, 2011
<b>Patches</b>	ESXi500-201111001.zip See <a href="http://kb.vmware.com/kb/2008017">kb.vmware.com/kb/2008017</a>
<b>Dell Modified Files</b>	<ul style="list-style-type: none"> <li>• etc/vmware/vmware.lic</li> <li>• etc/vmware/oem.xml</li> <li>• etc/vmware/support</li> </ul>
<b>Intel Drivers</b>	<ul style="list-style-type: none"> <li>• igb-3.1.17</li> <li>• ixgbe-3.6.5-NAPI</li> </ul>
<b>Qlogic Drivers</b>	<ul style="list-style-type: none"> <li>• qla2xxx-911.k1.1-9vmw</li> <li>• qla4xxx-624.01.32-1vmw</li> <li>• qlge-v1.00.00.47-051711</li> <li>• qlcnlc-5.0.727</li> </ul>
<b>Emulex Drivers</b>	<ul style="list-style-type: none"> <li>• lpfc820-0:8.2.2.105.36</li> <li>• be2iscsi-4.0.317.1</li> <li>• be2net-4.0.355.1</li> </ul>
<b>Brocade Drivers</b>	<ul style="list-style-type: none"> <li>• bna-3.0.0.0</li> <li>• bfa-3.0.0.0</li> </ul>
<b>Dell Storage Controller Drivers</b>	<ul style="list-style-type: none"> <li>• megaraid-sas-5.34</li> </ul>



Table 22: ESXi 5.0 Revision A00 Image Customization Details

<b>Product Name</b>	Dell Customized VMware ESXi 5.0 Recovery Image
<b>Version</b>	A00
<b>Build Number</b>	469512
<b>File Name</b>	VMware-VMvisor-Installer-5.0.0-469512.x86_64-Dell_Customized.iso
<b>Release Date</b>	October 10, 2011
<b>Dell Modified Files</b>	<ul style="list-style-type: none"><li>• etc/vmware/oem.xml</li><li>• etc/vmware/support</li><li>• etc/vmware/vmware.lic</li></ul>

